


107562149  
JC10 Rec'd PCT/PTO 23 DEC 2005

Appendix A

Claim Amendments

1. (Currently amended) ~~Compounds A~~ a compound of formula I



(II)

in which

R1 is halogen, nitro, amino, mono- or di-1-4C-alkylamino, 1-4C-alkyl, hydroxyl, 1-4C-alkoxy, 1-4C-alkoxy-2-4C-alkoxy, 3-7C-cycloalkoxy, 3-7C-cycloalkylmethoxy, or completely or predominantly fluorine-substituted 1-4C-alkoxy,

R2 is hydrogen, halogen or 1-4C-alkoxy, and

R3 is hydrogen or 1-4C-alkoxy, or

R2 and R3 bound to the benzo ring moiety in ortho-position to each other together form a 1-2C-alkylenedioxy bridge, or

R2 and R3 bound to the benzo ring moiety in ortho-position  
to each other together form a completely or  
predominantly fluorine-substituted 1-2C-alkylenedioxy  
bridge, or

R1 and R2 bound to the benzo ring moiety in ortho-position  
to each other together form a 1-2C-alkylenedioxy bridge  
and R3 is hydrogen, or

R1 and R2 bound to the benzo ring moiety in ortho-position  
to each other together form a completely or  
predominantly fluorine-substituted 1-2C-alkylenedioxy  
bridge and R3 is hydrogen,

R4 is hydrogen, fluorine, chlorine, 1-4C-alkyl,  
trifluoromethyl, cyclopropyl, cyano, 1-4C-alkoxycarbonyl  
or -CH<sub>2</sub>-O-R411, in which

R411 is hydrogen, 1-4C-alkyl, 1-4C-alkoxy-2-4-alkyl or 1-  
4C-alkylcarbonyl,

R41 is hydrogen or 1-4C-alkyl,

R5 is hydrogen, and

R51 is hydrogen,

or

R4 is hydrogen, fluorine, chlorine or 1-4C-alkyl,

R41 is hydrogen or 1-4C-alkyl,

R5 is hydrogen, and

R51 is hydrogen,

R6 is 1-6C-alkyl, amino, formyl, or 1-4C-alkyl substituted by R61, in which

R61 is 1-4C-alkoxycarbonyl, carboxyl, 1-4C-alkoxy, hydroxyl, halogen or -N(R611)R612, in which

R611 is hydrogen, 1-4C-alkyl, 3-7C-cycloalkyl or 3-7C-cycloalkyl-1-4C-alkyl, and

R612 is hydrogen or 1-4C-alkyl, or

R611 and R612 together and with inclusion of the nitrogen atom to which they are bound form a radical Het1, in which

Het1 is a 5- to 7-membered saturated heterocyclic ring radical comprising one nitrogen atom, to which R611 and R612 are bound, and, optionally, one further heteroatom selected from [[a]] the group consisting of nitrogen, oxygen and sulfur, and optionally substituted by R613 on a ring nitrogen atom, in which

R613 is 1-4C-alkyl, 3-7C-cycloalkyl, 3-7C-cycloalkyl-1-4C-alkyl, hydroxy-2-4C-alkyl, 1-4C-alkoxy-2-4C-alkyl, amino-2-4C-alkyl, mono- or di-1-4C-alkylamino-2-4C-alkyl, formyl, pyridyl or pyrimidinyl,

R7 is phenyl, Het2, R71- and/or R72- and/or R73-substituted phenyl, R74- and/or R75-substituted Het2, naphthyl, or R76- and/or R77-substituted naphthyl, in which

Het2 is a monocyclic or fused bicyclic 5 to 10-membered heteroaryl radical comprising one to three heteroatoms, each of which is selected from [[a]] the group consisting of nitrogen, oxygen and sulfur,

R71 is hydroxyl, halogen, nitro, cyano, trifluoromethyl, 1-4C-alkyl, 1-4C-alkoxy, amino, mono- or di-1-4C-alkylamino, 1-4C-alkylsulphonylamino, arylsulphonylamino, 1-4C-alkoxycarbonyl, carboxyl, 1-4C-alkylthio, aryloxy-2-4C-alkoxy, aryloxy-1-4C-alkyl, aryloxy, aryl-1-4C-alkoxy, aryl, 1-4C-alkoxy-2-4C-alkoxy, 1-4C-alkoxy-1-4C-alkyl, hydroxy-2-4C-alkoxy, amino-2-4C-alkoxy, mono- or di-1-4C-alkylamino-2-4C-alkoxy, or completely or predominantly fluorine-substituted 1-4C-alkoxy, in which

aryl is phenyl or R711-substituted phenyl, in which

R711 is halogen, 1-4C-alkyl, 1-4C-alkoxy, nitro or cyano,

R72 is halogen, 1-4C-alkyl, 1-4C-alkoxy or 1-4C-alkoxycarbonyl,

R73 is 1-4C-alkyl or 1-4C-alkoxy,

R74 is halogen, 1-4C-alkyl, trifluoromethyl, 1-4C-alkoxy, cyano, amino, mono- or di-1-4C-alkylamino, 1-4C-alkoxycarbonyl, morpholino, carboxyl, nitro, phenyl or phenyloxy,

R75 is 1-4C-alkyl or halogen,

R76 is halogen, hydroxyl, 1-4C-alkyl, 1-4C-alkoxy, carboxyl or 1-4C-alkoxycarbonyl,

R77 is 1-4C-alkyl or 1-4C-alkoxy,

R8 is phenyl, phenylcarbonyl, -C(O)-N(R82)R83 or -C(O)-OR9, in which

R82 is hydrogen, 1-4C-alkyl, 3-7C-cycloalkyl, 3-7C-cycloalkyl-1-4C-alkyl, phenyl or phenyl-1-4C-alkyl, and

R83 is hydrogen or 1-4C-alkyl, or

R82 and R83 together and with inclusion of the nitrogen atom, to which they are bound, form a heterocyclic ring radical selected from the group consisting of pyrrolidinyl, piperidinyl, morpholinyl [[or]] and N-(1-4C-alkyl)-piperazinyl,


R9 is 1-4C-alkyl, [[;]]

or a salt, stereoisomer, hydrate or hydrate of a salt thereof;

under the ~~provisio~~, proviso that this subgroup of compounds of formula I, wherein the combination of all of the

following restrictions a.) to c.) apply, is thereof disclaimed:

a.) the substitution pattern of the left R<sub>1</sub>- and/or R<sub>2</sub>- and/or R<sub>3</sub>-substituted benzo ring of the dihydroisoquinoline moiety of the pyrrolodihydroisoquinoline scaffold shown in formula I is as follows:



in which

R' and R'' can be bonded at any possible position of the benzo ring, and

R' is hydroxyl, 1-4C-alkoxy or trifluoromethoxy,

R'' is hydrogen or 1-4C-alkoxy,

or R' and R'' bound to the benzo ring moiety in ortho-position to each other together form a 1-2C-alkylenedioxy bridge,

and

b.) R<sub>4</sub> is hydrogen, and

R<sub>41</sub> is hydrogen, and

R<sub>5</sub> is hydrogen, and

R<sub>51</sub> is hydrogen,

and

c.) R8 is -C(O)-OR9, in which

R9 is 1-4C-alkyl,

~~and the salts, stereoisomers, hydrates and hydrates of the  
salts of these compounds.~~

2. (Currently amended) ~~Compounds~~ A compound of formula I according to claim 1, in which

R1 is halogen, nitro, amino, 1-4C-alkyl, 1-4C-alkoxy, 1-4C-alkoxy-2-4C-alkoxy, or completely or predominantly fluorine-substituted 1-4C-alkoxy,

R2 is 1-4C-alkoxy,

R3 is hydrogen,

and none of R1, R2 and R3 is bound to the 10-position of the ~~pyrrolo[2,1-a]isoquinoline~~ pyrrolo[2,1-a]-isoquinoline ring,

R4 is hydrogen or 1-4C-alkyl,

R41 is hydrogen or 1-4C-alkyl,

R5 is hydrogen,

R51 is hydrogen,

R6 is 1-6C-alkyl, formyl, or 1-4C-alkyl substituted by R61, in which

R61 is 1-4C-alkoxycarbonyl,

R7 is phenyl, Het2, R71- and/or R72- and/or R73-substituted phenyl, R74- and/or R75-substituted Het2, or naphthyl, in which

Het2 is a heteroaryl radical selected from the group consisting of furanyl, thiophenyl, pyrrolyl, pyridinyl, quinolyl, indolyl, benzothiophenyl and benzofuranyl,

R71 is hydroxyl, 1-4C-alkoxy, amino or mono- or di-1-4C-alkylamino,

R72 is 1-4C-alkyl or 1-4C-alkoxy,

R73 is 1-4C-alkyl or 1-4C-alkoxy,

R74 is 1-4C-alkyl, trifluoromethyl, 1-4C-alkoxy, 1-4C-alkoxycarbonyl, nitro, phenyl or phenyloxy,

R75 is 1-4C-alkyl,

R8 is phenyl, phenylcarbonyl, or -C(O)-N(R82)R83, in which

R82 is hydrogen, 1-4C-alkyl, 3-7C-cycloalkyl or phenyl, and

R83 is hydrogen or 1-4C-alkyl, or

R82 and R83 together and with inclusion of the nitrogen atom, to which they are bound, form a heterocyclic ring radical selected from the group consisting of pyrrolidinyl and piperidinyl,

or a salt, stereoisomer, hydrate or hydrate of a salt

thereof



~~and the salts, stereoisomers, hydrates and hydrates of the  
salts of these compounds.~~

3. (Currently amended) ~~Compounds~~ A compound of formula I according to claim 1, in which

R1 is halogen, nitro, amino, 1-4C-alkyl, 1-4C-alkoxy-2-4C-alkoxy, or completely or predominantly fluorine-substituted 1-4C-alkoxy,

with the proviso that R1 is not trifluoromethoxy,

R2 is 1-4C-alkoxy, and

R3 is hydrogen, or

R1 and R2 bound to the benzo ring moiety in ortho-position to each other together form a completely or predominantly fluorine-substituted 1-2C-alkylenedioxy bridge and R3 is hydrogen,

and none of R1, R2 and R3 is bound to the 10-position of the ~~pyrrolo[2,1-a]isoquinoline~~ pyrrolo[2,1-a]-isoquinoline ring,

R4 is hydrogen or 1-4C-alkyl,

R41 is hydrogen or 1-4C-alkyl,

R5 is hydrogen,

R51 is hydrogen,

R6 is 1-6C-alkyl, formyl, or 1-4C-alkyl substituted by R61,  
in which

R61 is 1-4C-alkoxycarbonyl,

R7 is phenyl, Het2, R71- and/or R72- and/or R73-substituted  
phenyl, R74- and/or R75-substituted Het2, or naphthyl,  
in which

Het2 is a heteroaryl radical selected from the group  
consisting of furanyl, thiophenyl, pyrrolyl, pyridinyl,  
quinolyl, indolyl, benzothiophenyl and benzofuranyl,

R71 is hydroxyl, 1-4C-alkoxy, amino or mono- or di-1-4C-  
alkylamino,

R72 is 1-4C-alkyl or 1-4C-alkoxy,

R73 is 1-4C-alkyl or 1-4C-alkoxy,

R74 is 1-4C-alkyl, trifluoromethyl, 1-4C-alkoxy, 1-4C-  
alkoxycarbonyl, nitro, phenyl or phenyloxy,

R75 is 1-4C-alkyl,

R8 is phenyl, phenylcarbonyl, -C(O)-N(R82)R83 or -C(O)-OR9,  
in which

R82 is hydrogen, 1-4C-alkyl, 3-7C-cycloalkyl or phenyl, and

R83 is hydrogen or 1-4C-alkyl, or

R82 and R83 together and with inclusion of the nitrogen  
atom, to which they are bound, form a heterocyclic ring

radical selected from the group consisting of  
pyrrolidinyl and piperidinyl,

R9 is 1-4C-alkyl,

or a salt, stereoisomer, hydrate or hydrate of a salt  
thereof

~~and the salts, stereoisomers, hydrates and hydrates of the  
salts of these compounds.~~

4. (Currently amended) ~~Compounds~~ A compound of formula I  
according to claim 1, in which

R1 is halogen, nitro, amino, 1-4C-alkyl, 1-4C-alkoxy, 1-4C-  
alkoxy-2-4C-alkoxy, or completely or predominantly  
fluorine-substituted 1-4C-alkoxy,

R2 is 1-4C-alkoxy,

R3 is 1-4C-alkoxy,

and none of R1, R2 and R3 is bound to the 10-position of

the ~~pyrrolo[2,1-a]isoquinoline~~ pyrrolo[2,1-a]-  
isoquinoline ring,

R4 is hydrogen or 1-4C-alkyl,

R41 is hydrogen or 1-4C-alkyl,

R5 is hydrogen,

R51 is hydrogen,

R6 is 1-6C-alkyl, formyl, or 1-4C-alkyl substituted by R61,  
in which

R61 is 1-4C-alkoxycarbonyl,

R7 is phenyl, Het2, R71- and/or R72- and/or R73-substituted  
phenyl, R74- and/or R75-substituted Het2, or naphthyl,  
in which

Het2 is a heteroaryl radical selected from the group  
consisting of furanyl, thiophenyl, pyrrolyl, pyridinyl,  
quinolyl, indolyl, benzothiophenyl and benzofuranyl,

R71 is hydroxyl, 1-4C-alkoxy, amino or mono- or di-1-4C-  
alkylamino,

R72 is 1-4C-alkyl or 1-4C-alkoxy,

R73 is 1-4C-alkyl or 1-4C-alkoxy,

R74 is 1-4C-alkyl, trifluoromethyl, 1-4C-alkoxy, 1-4C-  
alkoxycarbonyl, nitro, phenyl or phenyloxy,

R75 is 1-4C-alkyl,

R8 is phenyl, phenylcarbonyl, -C(O)-N(R82)R83 or -C(O)-OR9,  
in which

R82 is hydrogen, 1-4C-alkyl, 3-7C-cycloalkyl or phenyl, and

R83 is hydrogen or 1-4C-alkyl, or

R82 and R83 together and with inclusion of the nitrogen  
atom, to which they are bound, form a heterocyclic ring

radical selected from the group consisting of  
pyrrolidinyl and piperidinyl,

R9 is 1-4C-alkyl,

or a salt, stereoisomer, hydrate or hydrate of a salt  
thereof

~~and the salts, stereoisomers, hydrates and hydrates of the  
salts of these compounds.~~

5. (Currently amended) ~~Compounds~~ A compound of formula I  
according to claim 1, in which

R1 is halogen, nitro, amino, 1-4C-alkyl, 1-4C-alkoxy, 1-4C-  
alkoxy-2-4C-alkoxy, or completely or predominantly  
fluorine-substituted 1-4C-alkoxy,

R2 is 1-4C-alkoxy,

R3 is hydrogen,

and none of R1, R2 and R3 is bound to the 10-position of  
the ~~pyrrolo[2,1-a]isoquinoline~~ pyrrolo[2,1-a]-  
isoquinoline ring,

R4 is 1-4C-alkyl,

R41 is hydrogen or 1-4C-alkyl,

R5 is hydrogen,

R51 is hydrogen,

R6 is 1-6C-alkyl, formyl, or 1-4C-alkyl substituted by R61,  
in which

R61 is 1-4C-alkoxycarbonyl,

R7 is phenyl, Het2, R71- and/or R72- and/or R73-substituted  
phenyl, R74- and/or R75-substituted Het2, or naphthyl,  
in which

Het2 is a heteroaryl radical selected from the group  
consisting of furanyl, thiophenyl, pyrrolyl, pyridinyl,  
quinolyl, indolyl, benzothiophenyl and benzofuranyl,

R71 is hydroxyl, 1-4C-alkoxy, amino or mono- or di-1-4C-  
alkylamino,

R72 is 1-4C-alkyl or 1-4C-alkoxy,

R73 is 1-4C-alkyl or 1-4C-alkoxy,

R74 is 1-4C-alkyl, trifluoromethyl, 1-4C-alkoxy, 1-4C-  
alkoxycarbonyl, nitro, phenyl or phenyloxy,

R75 is 1-4C-alkyl,

R8 is phenyl, phenylcarbonyl, -C(O)-N(R82)R83 or -C(O)-OR9,  
in which

R82 is hydrogen, 1-4C-alkyl, 3-7C-cycloalkyl or phenyl, and

R83 is hydrogen or 1-4C-alkyl, or

R82 and R83 together and with inclusion of the nitrogen  
atom, to which they are bound, form a heterocyclic ring

radical selected from the group consisting of  
pyrrolidinyl and piperidinyl,

R9 is 1-4C-alkyl,

or a salt, stereoisomer, hydrate or hydrate of a salt  
thereof

~~and the salts, stereoisomers, hydrates and hydrates of the  
salts of these compounds.~~

6. (Currently amended) ~~Compounds~~ A compound of formula I  
according to claim 1,

in which, in a first embodiment,

R1 is halogen, nitro, amino, mono- or di-1-4C-alkylamino,  
1-4C-alkyl, 1-4C-alkoxy-2-4C-alkoxy, 3-7C-cycloalkoxy,  
3-7C-cycloalkylmethoxy, or completely or predominantly  
fluorine-substituted 1-4C-alkoxy,

R2 is 1-4C-alkoxy,

R3 is hydrogen,

and none of R1 and R2 is bound to the 10-position of the  
~~pyrrolo[2,1-a]isoquinoline~~ pyrrolo[2,1-a]-isoquinoline  
ring,

and

R4 is hydrogen,

R41 is hydrogen,

R5 is hydrogen, and

R51 is hydrogen;

or in which, in a second embodiment,

R1 is 1-4C-alkoxy,

R2 is 1-4C-alkoxy,

R3 is hydrogen,

and none of R1 and R2 is bound to the 10-position of the

~~pyrrolo[2,1-a]isoquinoline~~ pyrrolo[2,1-a]isoquinoline  
ring,

and

R4 is 1-4C-alkyl,

R41 is hydrogen or 1-4C-alkyl,

R5 is hydrogen, and

R51 is hydrogen;

R6 is 1-6C-alkyl, or 1-4C-alkyl substituted by R61, in  
which

R61 is 1-4C-alkoxycarbonyl;

R7 is Het2, 4-hydroxy-3,5-dimethylphenyl, 3-dimethylamino-  
phenyl, or naphthyl, in which



Het2 is a monocyclic or fused bicyclic 5- to 10-membered heteroaryl radical comprising one to three heteroatoms, each of which is selected from [[a]] the group consisting of nitrogen, oxygen and sulfur, ~~such as, for example, quinolyl, e.g. quinolin-4-yl;~~

R8 is phenyl, phenylcarbonyl, -C(O)-N(R82)R83 or -C(O)-OR9, in which

R82 is hydrogen, 1-4C-alkyl, 3-7C-cycloalkyl or phenyl, and

R83 is hydrogen or 1-4C-alkyl, or

R82 and R83 together and with inclusion of the nitrogen atom, to which they are bound, form a heterocyclic ring radical selected from the group consisting of pyrrolidinyl and piperidinyl,

R9 is 1-4C-alkyl;

or a salt, stereoisomer, hydrate or hydrate of a salt thereof

~~and the salts, stereoisomers, hydrates and hydrates of the salts of these compounds.~~

7. (Currently amended) ~~Compounds~~ A compound of formula I according to claim 1, in which, in a first embodiment,

R1 is halogen, 1-4C-alkoxy-2-4C-alkoxy, or completely or predominantly fluorine-substituted 1-4C-alkoxy,  
R2 is 1-4C-alkoxy,  
R3 is hydrogen,  
and none of R1 and R2 is bound to the 7- or 10-position of  
the ~~pyrrolo[2,1-a]isoquinoline~~ pyrrolo[2,1-a]-  
isoquinoline ring,

and

R4 is hydrogen,  
R41 is hydrogen,  
R5 is hydrogen, and  
R51 is hydrogen;

or in which, in a second embodiment,

R1 is 1-4C-alkoxy,  
R2 is 1-4C-alkoxy,  
R3 is hydrogen,  
and none of R1 and R2 is bound to the 7- or 10-position of  
the ~~pyrrolo[2,1-a]isoquinoline~~ pyrrolo[2,1-a]-  
isoquinoline ring,

and

R4 is 1-4C-alkyl,  
R41 is hydrogen or 1-4C-alkyl,

R5 is hydrogen, and

R51 is hydrogen;

R6 is 1-4C-alkyl, or 1-4C-alkyl substituted by R61, in  
which

R61 is 1-4C-alkoxycarbonyl;

R7 is Het2, 4-hydroxy-3,5-dimethylphenyl, 3-dimethylamino-  
phenyl, or naphthyl, in which

Het2 is a monocyclic or fused bicyclic 5- to 10-membered  
heteroaryl radical comprising one to three heteroatoms,  
each of which is selected from [[a]] the group  
consisting of nitrogen, oxygen and sulfur,  
~~such as, for example, quinolyl, e.g. quinolin-4-yl,~~

R8 is -C(O)-OR9, in which

R9 is 1-4C-alkyl;

or a salt, stereoisomer, hydrate or hydrate of a salt  
thereof

~~and the salts, stereoisomers, hydrates and hydrates of the~~  
~~salts of these compounds.~~

8. (Currently amended) ~~Compounds~~ A compound of formula I  
according to claim 1,

in which, in a first embodiment,

either

R1 is halogen, 1-4C-alkyl, 1-4C-alkoxy, 1-4C-alkoxy-2-4C-alkoxy, or completely or predominantly fluorine-substituted 1-4C-alkoxy,

R2 is 1-4C-alkoxy, and

R3 is 1-4C-alkoxy,

or

R1 is 1-4C-alkoxy, 1-4C-alkoxy-2-4C-alkoxy, or completely or predominantly fluorine-substituted 1-4C-alkoxy,

R2 is halogen, and

R3 is 1-4C-alkoxy,

and none of R1, R2 and R3 is bound to the 10-position of

the ~~pyrrolo[2.1-a]isoquinoline~~ pyrrolo[2,1-a]-isoquinoline ring;

or

either

R1 is halogen, 1-4C-alkyl, 1-4C-alkoxy, 1-4C-alkoxy-2-4C-alkoxy, or completely or predominantly fluorine-substituted 1-4C-alkoxy,

R2 is 1-4C-alkoxy, and

R3 is hydrogen,

or

R1 is 1-4C-alkoxy, 1-4C-alkoxy-2-4C-alkoxy, or completely  
or predominantly fluorine-substituted 1-4C-alkoxy,  
R2 is halogen, and  
R3 is hydrogen,  
and none of R1 and R2 is bound to the 7- or 10-position of  
the ~~pyrrolo[2,1-a]isoquinoline~~ pyrrolo[2,1-a]-  
isoquinoline ring;

and

R4 is 1-4C-alkyl,  
R41 is hydrogen or 1-4C-alkyl,  
R5 is hydrogen, and  
R51 is hydrogen;

or in which, in a second embodiment,

R1 is 1-4C-alkoxy,  
R2 is 1-4C-alkoxy,  
R3 is hydrogen,  
and none of R1 and R2 is bound to the 7- or 10-position of  
the ~~pyrrolo[2,1-a]isoquinoline~~ pyrrolo[2,1-a]-  
isoquinoline ring,

and

R4 is 1-4C-alkyl,  
R41 is hydrogen or 1-4C-alkyl,

R5 is hydrogen,

R51 is hydrogen;

R6 is 1-6C-alkyl, or 1-4C-alkyl substituted by R61, in which

R61 is 1-4C-alkoxycarbonyl,

R7 is phenyl, Het2, R71- and/or R72- and/or R73-substituted phenyl, R74- and/or R75-substituted Het2, or naphthyl, in which

Het2 is a heteroaryl radical selected from the group consisting of furanyl, thiophenyl, pyrrolyl, pyridinyl, quinolyl, indolyl, benzothiophenyl and benzofuranyl,

R71 is hydroxyl, 1-4C-alkoxy, amino or mono- or di-1-4C-alkylamino,

R72 is 1-4C-alkyl or 1-4C-alkoxy,

R73 is 1-4C-alkyl or 1-4C-alkoxy,

R74 is 1-4C-alkyl, trifluoromethyl, 1-4C-alkoxy, 1-4C-alkoxycarbonyl, nitro, phenyl or phenyloxy,

R75 is 1-4C-alkyl,

R8 is phenyl, phenylcarbonyl, -C(O)-N(R82)R83 or -C(O)-OR9, in which

R82 is hydrogen, 1-4C-alkyl, 3-7C-cycloalkyl or phenyl, and

R83 is hydrogen or 1-4C-alkyl, or

R82 and R83 together and with inclusion of the nitrogen atom, to which they are bound, form a heterocyclic ring radical selected from the group consisting of pyrrolidinyl and piperidinyl,

R9 is 1-4C-alkyl,

or a salt, stereoisomer, hydrate or hydrate of a salt thereof

~~and the salts, stereoisomers, hydrates and hydrates of the salts of these compounds.~~

9. (Currently amended) ~~Compounds~~ A compound of formula I according to claim 1,  
in which

R1 is halogen, 1-4C-alkoxy, 1-4C-alkoxy-2-4C-alkoxy, or completely or predominantly fluorine-substituted 1-4C-alkoxy, ~~such as e.g. chlorine, methoxy, 2-methoxy ethoxy or difluoromethoxy,~~

R2 is 1-4C-alkoxy, ~~such as e.g. methoxy,~~

R3 is 1-4C-alkoxy, ~~such as e.g. methoxy,~~

and none of R1, R2 and R3 is bound to the 10-position of the ~~pyrrole[2.1-a]isoquinoline~~ pyrrolo[2,1-a]-isoquinoline ring,

and

R4 is hydrogen, or 1-4C-alkyl ~~such as e.g. methyl,~~

R41 is hydrogen, or 1-4C-alkyl ~~such as e.g. methyl,~~

R5 is hydrogen, and

R51 is hydrogen;

or

R1 is halogen, 1-4C-alkoxy-2-4C-alkoxy, or completely or predominantly fluorine-substituted 1-4C-alkoxy, ~~such as e.g. chlorine, 2-methoxy-ethoxy or difluoromethoxy,~~

R2 is 1-4C-alkoxy, ~~such as e.g. methoxy,~~

R3 is hydrogen,

and none of R1, R2 and R3 is bound to the 10-position of the ~~pyrrolo[2,1-a]isoquinoline~~ pyrrolo[2,1-a]-isoquinoline ring,

and

R4 is hydrogen, or 1-4C-alkyl ~~such as e.g. methyl,~~

R41 is hydrogen, or 1-4C-alkyl ~~such as e.g. methyl,~~

R5 is hydrogen, and

R51 is hydrogen;

or

R1 is 1-4C-alkoxy, ~~such as e.g. methoxy,~~



R2 is 1-4C-alkoxy, ~~such as e.g. methoxy,~~

R3 is hydrogen,

and none of R1, R2 and R3 is bound to the 10-position of  
the ~~pyrrolo[2,1-a]isoquinoline~~ pyrrolo[2,1-a]-  
isoquinoline ring,

and

R4 is 1-4C-alkyl, ~~such as e.g. methyl,~~

R41 is hydrogen, or 1-4C-alkyl ~~such as e.g. methyl,~~

R5 is hydrogen, and

R51 is hydrogen;

R6 is 1-4C-alkyl, ~~such as e.g. methyl;~~

R7 is 4-hydroxy-3,5-dimethylphenyl, 3-dimethylamino-phenyl,  
or

pyridyl, indolyl, thiophenyl, quinolinyl or naphthyl,  
~~such as e.g. pyridin 4 yl, indol 3 yl, thiophen 3 yl,~~  
~~quinolin 4 yl or naphthalen 1 yl,~~

R8 is -C(O)-OR9, in which

R9 is 1-2C-alkyl, ~~such as e.g. ethyl,~~

or a salt, stereoisomer, hydrate or hydrate of a salt

thereof

~~and the salts, stereoisomers, hydrates and hydrates of the~~  
~~salts of these compounds.~~

10. (Currently amended) ~~Compounds~~ A compound of formula I according to claim 1,

in which, in a first embodiment,

either

R1 is bonded in the 8-position of the ~~pyrrolo[2,1-~~  
~~a]-isoquinoline~~ pyrrolo[2,1-a]-isoquinoline ring, and is  
chlorine, 2-methoxy-ethoxy or difluoromethoxy, and

R2 is bonded in the 9-position of the ~~pyrrolo[2,1-~~  
~~a]-isoquinoline~~ pyrrolo[2,1-a]-isoquinoline ring, and is  
methoxy,

or

R1 is bonded in the 9-position of the ~~pyrrolo[2,1-~~  
~~a]-isoquinoline~~ pyrrolo[2,1-a]-isoquinoline ring, and is  
chlorine, fluorine, methyl, nitro, amino or  
difluoromethoxy, and

R2 is bonded in the 8-position of the ~~pyrrolo[2,1-~~  
~~a]-isoquinoline~~ pyrrolo[2,1-a]-isoquinoline ring, and is  
methoxy,

and

R3 is hydrogen,

and

either

R4 is hydrogen,

R41 is hydrogen,

R5 is hydrogen, and

R51 is hydrogen,

or

R4 is methyl,

R41 is hydrogen or methyl,

R5 is hydrogen, and

R51 is hydrogen;

or in which, in a second embodiment,

R1 is bonded in the 8-position of the ~~pyrrolo[2,1-~~

~~a]-isoquinoline~~ pyrrolo[2,1-a]-isoquinoline ring, and is methoxy,

R2 is bonded in the 9-position of the ~~pyrrolo[2,1-~~

~~a]-isoquinoline~~ pyrrolo[2,1-a]-isoquinoline ring, and is methoxy,

R3 is hydrogen,

and

R4 is methyl,

R41 is hydrogen or methyl,

R5 is hydrogen,

R51 is hydrogen;

R6 is methyl or 2-methoxycarbonylethyl,  
R7 is 4-hydroxy-3,5-dimethylphenyl, 3-dimethylamino-phenyl,  
3,4,5-trimethoxyphenyl, quinolinyl or naphthyl,  
R8 is phenylcarbonyl, -C(O)-N(R82)R83 or -C(O)-OR9, in  
which  
R82 is hydrogen, methyl, ethyl, iso-propyl, iso-butyl,  
cyclohexyl, cyclopropyl or phenyl, and  
R83 is hydrogen or methyl, or  
R82 and R83 together and with inclusion of the nitrogen  
atom, to which they are bound, form a pyrrolidinyl  
radical,  
R9 is methyl or ethyl,  
or a salt, stereoisomer, hydrate or hydrate of a salt  
thereof  
~~and the salts, stereoisomers, hydrates and hydrates of the~~  
~~salts of these compounds.~~

11. (Currently amended) ~~Compounds~~ A compound according to  
claim 1 ~~any of the claims 1 to 10~~, wherein said compounds  
have the formula I,  
in which

R1 is 1-4C-alkoxy, ~~such as e.g. 1-2C-alkoxy,~~

R2 is 1-4C-alkoxy, ~~such as e.g. 1-2C-alkoxy,~~

R3 is hydrogen,

and none of R1 and R2 is bound to the 7- or 10-position of

the ~~pyrrolo[2,1-a]isoquinoline~~ pyrrolo[2,1-a]-

isoquinoline ring,

and in which

R4 is 1-4C-alkyl, ~~such as e.g. methyl,~~

R41 is hydrogen, or 1-4C-alkyl ~~such as e.g. methyl,~~

R5 is hydrogen,

R51 is hydrogen,

or a salt, stereoisomer, hydrate or hydrate of a salt

thereof

~~and the salts, stereoisomers, hydrates and hydrates of the~~

~~salts of these compounds.~~

12. (Currently amended) ~~Compounds~~ A compound according to claim 1 ~~any of the claims 1 to 10~~, wherein said compounds have the formula I,

in which

either

R1 is halogen, nitro, amino, mono- or di-1-4C-alkylamino,  
1-4C-alkyl, 1-4C-alkoxy-2-4C-alkoxy, 3-7C-cycloalkoxy,

3-7C-cycloalkylmethoxy, or completely or predominantly  
fluorine-substituted 1-4C-alkoxy, and

R2 is 1-4C-alkoxy,

or

R1 is 1-4C-alkoxy, 1-4C-alkoxy-2-4C-alkoxy, 3-7C-  
cycloalkoxy, 3-7C-cycloalkylmethoxy, or completely or  
predominantly fluorine-substituted 1-4C-alkoxy, and

R2 is halogen,

and

R3 is hydrogen,

and none of R1 and R2 is bound to the 7- or 10-position of  
the ~~pyrrolo[2,1-a]isoquinoline~~ pyrrolo[2,1-a]-  
isoquinoline ring;

and in which

either

R4 is hydrogen,

R41 is hydrogen,

R5 is hydrogen, and

R51 is hydrogen,

or

R4 is 1-4C-alkyl,

R41 is hydrogen or 1-4C-alkyl,

R5 is hydrogen, and

R51 is hydrogen;

or a salt, stereoisomer, hydrate or hydrate of a salt

thereof

~~and the salts, stereoisomers, hydrates and hydrates of the  
salts of these compounds.~~

13. (Currently amended) ~~Compounds~~ A compound according to  
claim 1 ~~any of the claims 1 to 10~~, wherein said compounds  
have the formula I,

in which

either

R1 is halogen, nitro, amino, mono- or di-1-4C-alkylamino,  
1-4C-alkyl, 1-4C-alkoxy, 1-4C-alkoxy-2-4C-alkoxy, 3-7C-  
cycloalkoxy, 3-7C-cycloalkylmethoxy, or completely or  
predominantly fluorine-substituted 1-4C-alkoxy, and

R2 is 1-4C-alkoxy,

or

R1 is 1-4C-alkoxy, 1-4C-alkoxy-2-4C-alkoxy, 3-7C-  
cycloalkoxy, 3-7C-cycloalkylmethoxy, or completely or  
predominantly fluorine-substituted 1-4C-alkoxy, and

R2 is halogen,

and

R3 is 1-4C-alkoxy,

and none of R1, R2 and R3 is bound to the 10-position of  
the ~~pyrrolo[2,1-a]isoquinoline~~ pyrrolo[2,1-a]-  
isoquinoline ring;

and in which

either

R4 is hydrogen,

R41 is hydrogen,

R5 is hydrogen, and

R51 is hydrogen,

or

R4 is 1-4C-alkyl,

R41 is hydrogen or 1-4C-alkyl,

R5 is hydrogen, and

R51 is hydrogen;

or a salt, stereoisomer, hydrate or hydrate of a salt  
thereof

~~and the salts, stereoisomers, hydrates and hydrates of the~~  
~~salts of these compounds.~~

14. (Currently amended) ~~Compounds~~ A compound according to  
claim 1 ~~any of the claims 1 to 10~~, wherein said compounds  
have the formula I,  
in which



R1 is halogen, 1-4C-alkoxy, 1-4C-alkoxy-2-4C-alkoxy, or completely or predominantly fluorine-substituted 1-4C-alkoxy, ~~such as e.g. chlorine, methoxy, 2-methoxy-ethoxy or difluoromethoxy,~~

R2 is 1-4C-alkoxy, ~~such as e.g. methoxy,~~

R3 is 1-4C-alkoxy, ~~such as e.g. methoxy,~~

and none of R1, R2 and R3 is bound to the 10-position of the ~~pyrrolo[2,1-a]isoquinoline~~ pyrrolo[2,1-a]-isoquinoline ring,

and

R4 is hydrogen, or 1-4C-alkyl ~~such as e.g. methyl,~~

R41 is hydrogen, or 1-4C-alkyl ~~such as e.g. methyl,~~

R5 is hydrogen, and

R51 is hydrogen;

or

R1 is halogen, 1-4C-alkoxy-2-4C-alkoxy, or completely or predominantly fluorine-substituted 1-4C-alkoxy, ~~such as e.g. chlorine, 2-methoxy-ethoxy or difluoromethoxy,~~

R2 is 1-4C-alkoxy, ~~such as e.g. methoxy,~~

R3 is hydrogen,

and none of R1, R2 and R3 is bound to the 10-position of  
the ~~pyrrolo[2.1-a]isoquinoline~~ pyrrolo[2,1-a]-  
isoquinoline ring,

and

R4 is hydrogen, or 1-4C-alkyl ~~such as e.g. methyl,~~

R41 is hydrogen, or 1-4C-alkyl ~~such as e.g. methyl,~~

R5 is hydrogen, and

R51 is hydrogen;

or

R1 is 1-4C-alkoxy, ~~such as e.g. methoxy,~~

R2 is 1-4C-alkoxy, ~~such as e.g. methoxy,~~

R3 is hydrogen,

and none of R1, R2 and R3 is bound to the 10-position of

the ~~pyrrolo[2.1-a]isoquinoline~~ pyrrolo[2,1-a]-  
isoquinoline ring,

and

R4 is 1-4C-alkyl, ~~such as e.g. methyl,~~

R41 is hydrogen, or 1-4C-alkyl ~~such as e.g. methyl,~~

R5 is hydrogen, and

R51 is hydrogen;

and

R6 is 1-4C-alkyl, ~~such as e.g. methyl;~~

or a salt, stereoisomer, hydrate or hydrate of a salt

thereof

~~and the salts, stereoisomers, hydrates and hydrates of the  
salts of these compounds.~~

15. (Currently amended) ~~Compounds~~ A compound according to  
claim 1 ~~any of the claims 1 to 10~~, wherein said compounds  
have the formula I,

in which

R1 is fluorine, chlorine, 1-2C-alkoxy-2-3C-alkoxy, or  
completely or predominantly fluorine-substituted 1-2C-  
alkoxy, ~~such as e.g. chlorine, 2-methoxy-ethoxy or  
difluoromethoxy,~~

R2 is 1-2C-alkoxy, ~~such as e.g. methoxy,~~

R3 is hydrogen,

and none of R1 and R2 is bound to the 7- or 10-position of

the ~~pyrrolo[2,1-a]isoquinoline~~ pyrrolo[2,1-a]-  
isoquinoline ring,

and

R4 is hydrogen,

R41 is hydrogen,

R5 is hydrogen, and

R51 is hydrogen;

or

R1 is 1-2C-alkoxy, ~~such as e.g. methoxy,~~

R2 is 1-2C-alkoxy, ~~such as e.g. methoxy,~~

R3 is hydrogen,

and none of R1 and R2 is bound to the 7- or 10-position of  
the ~~pyrrolo[2,1-a]isoquinoline~~ pyrrolo[2,1-a]-  
isoquinoline ring,

and

R4 is 1-2C-alkyl, ~~such as e.g. methyl,~~

R41 is hydrogen, or 1-2C-alkyl ~~such as e.g. methyl,~~

R5 is hydrogen, and

R51 is hydrogen;

or

R1 is fluorine, chlorine, 1-2C-alkoxy-2-3C-alkoxy, or  
completely or predominantly fluorine-substituted 1-2C-  
alkoxy, ~~such as e.g. chlorine, 2-methoxy-ethoxy or~~  
~~difluoromethoxy,~~

R2 is 1-2C-alkoxy, ~~such as e.g. methoxy,~~

R3 is hydrogen,

and none of R1 and R2 is bound to the 7- or 10-position of  
the ~~pyrrolo[2,1-a]isoquinoline~~ pyrrolo[2,1-a]-  
isoquinoline ring,

and

R4 is 1-2C-alkyl, ~~such as e.g. methyl,~~

R41 is hydrogen, or 1-2C-alkyl ~~such as e.g. methyl,~~

R5 is hydrogen, and

R51 is hydrogen;

and

R6 is 1-2C-alkyl, ~~such as e.g. methyl;~~

or a salt, stereoisomer, hydrate or hydrate of a salt

thereof

~~and the salts, stereoisomers, hydrates and hydrates of the  
salts of these compounds.~~

16. (Currently amended) ~~Compounds~~ A compound according to  
claim 1 ~~any of the claims 1 to 10~~, wherein said compounds  
have the formula I,

in which

R1 is fluorine, chlorine, 1-2C-alkoxy-2-3C-alkoxy, or  
completely or predominantly fluorine-substituted 1-2C-  
alkoxy, ~~such as e.g. chlorine, 2-methoxy ethoxy or~~  
~~difluoromethoxy,~~

R2 is 1-2C-alkoxy, ~~such as e.g. methoxy,~~

R3 is hydrogen,

and none of R1 and R2 is bound to the 7- or 10-position of  
the ~~pyrrolo[2,1-a]isoquinoline~~ pyrrolo[2,1-a]-  
isoquinoline ring,

and

R4 is 1-2C-alkyl, ~~such as e.g. methyl,~~

R41 is hydrogen, or 1-2C-alkyl ~~such as e.g. methyl,~~

R5 is hydrogen, and

R51 is hydrogen;

or a salt, stereoisomer, hydrate or hydrate of a salt

thereof

~~and the salts, stereoisomers, hydrates and hydrates of the  
salts of these compounds.~~

17. (Currently amended) ~~Compounds~~ A compound according to  
claim 1 ~~any of the preceding claims,~~ wherein said compounds  
have the formula I,

in which

R6 is 1-4C-alkyl, ~~such as e.g. methyl,~~

R7 is Het2, 4-hydroxy-3,5-dimethylphenyl, 3-dimethylamino-  
phenyl, or naphthyl, in which

Het2 is a monocyclic or fused bicyclic 5- to 10-membered heteroaryl radical comprising one to three heteroatoms, each of which is selected from [[a]] the group consisting of nitrogen, oxygen and sulfur, ~~such as, for example, quinolyl, e.g. quinolin-4-yl,~~

R8 is -C(O)-OR9, in which

R9 is 1-4C-alkyl, ~~such as e.g. ethyl,~~

or a salt, stereoisomer, hydrate or hydrate of a salt thereof

~~and the salts, stereoisomers, hydrates and hydrates of the salts of these compounds.~~

18. (Currently amended) A compound according to claim 1, wherein said compound is selected from the group consisting of:

1. 2-(4-Hydroxy-3,5-dimethyl-phenyl)-8,9-dimethoxy-3,6,6-trimethyl-5,6-dihydro-pyrrolo[2,1- $\alpha$ ]isoquinoline-1-carboxylic acid ethyl ester,
2. (6RS)-2-(4-Hydroxy-3,5-dimethyl-phenyl)-8,9-dimethoxy-3,6-dimethyl-5,6-dihydro-pyrrolo[2,1-a]isoquinoline-1-carboxylic acid ethyl ester,

3. (6RS)-8,9-Dimethoxy-3,6-dimethyl-2-(3,4,5-trimethoxy-phenyl)-5,6-dihydro-pyrrolo[2,1-a]isoquinoline-1-carboxylic acid ethyl ester,
4. 9-(1,1-Difluoro-methoxy)-2-(3-dimethylamino-phenyl)-8-methoxy-3-methyl-5,6-dihydro-pyrrolo[2,1-a]-isoquinoline-1-carboxylic acid ethyl ester,
5. 9-(1,1-Difluoro-methoxy)-2-(4-hydroxy-3,5-dimethyl-phenyl)-8-methoxy-3-methyl-5,6-dihydro-pyrrolo[2,1-a]-isoquinoline-1-carboxylic acid ethyl ester,
6. 9-(1,1-Difluoro-methoxy)-8-methoxy-3-methyl-2-(3,4,5-trimethoxy-phenyl)-5,6-dihydro-pyrrolo[2,1-a]-isoquinoline-1-carboxylic acid ethyl ester,
7. 2-(4-Hydroxy-3,5-dimethyl-phenyl)-8,9,10-trimethoxy-3-methyl-5,6-dihydro-pyrrolo[2,1-a]isoquinoline-1-carboxylic acid ethyl ester,
8. 8-(1,1-Difluoro-methoxy)-9-methoxy-3-methyl-2-(3,4,5-trimethoxy-phenyl)-5,6-dihydro-pyrrolo[2,1-a]-isoquinoline-1-carboxylic acid ethyl ester,
9. 8-(1,1-Difluoro-methoxy)-2-(4-hydroxy-3,5-dimethyl-phenyl)-9-methoxy-3-methyl-5,6-dihydro-pyrrolo[2,1-a]-isoquinoline-1-carboxylic acid ethyl ester,



10. 8-(1,1-Difluoro-methoxy)-2-(3-dimethylamino-phenyl)-9-methoxy-3-methyl-5,6-dihydro-pyrrolo[2,1-a]-isoquinoline-1-carboxylic acid ethyl ester,
11. 8,9-(1,1-Difluoro-methylenedioxy)-2-(3-dimethylamino-phenyl)-3-methyl-5,6-dihydro-pyrrolo[2,1-a]-isoquinoline-1-carboxylic acid ethyl ester,
12. 8,9-(1,1-Difluoro-methylenedioxy)-2-(4-hydroxy-3,5-dimethyl-phenyl)-3-methyl-5,6-dihydro-pyrrolo[2,1-a]-isoquinoline-1-carboxylic acid ethyl ester,
13. 8,9-(1,1-Difluoro-methylenedioxy)-3-methyl-2-(3,4,5-trimethoxy-phenyl)-5,6-dihydro-pyrrolo[2,1-a]-isoquinoline-1-carboxylic acid ethyl ester,
14. 9-Chloro-2-(4-hydroxy-3,5-dimethyl-phenyl)-8-methoxy-3-methyl-5,6-dihydro-pyrrolo[2,1-a]isoquinoline-1-carboxylic acid ethyl ester,
15. 9-Chloro-8-methoxy-3-methyl-2-(3,4,5-trimethoxy-phenyl)-5,6-dihydro-pyrrolo[2,1-a]isoquinoline-1-carboxylic acid ethyl ester,
16. 9-Chloro-2-(3-dimethylamino-phenyl)-8-methoxy-3-methyl-5,6-dihydro-pyrrolo[2,1-a]isoquinoline-1-carboxylic acid ethyl ester,

17. 8-Chloro-2-(4-hydroxy-3,5-dimethyl-phenyl)-9-methoxy-3-methyl-5,6-dihydro-pyrrolo[2,1-a]isoquinoline-1-carboxylic acid ethyl ester,
18. 2-(4-Hydroxy-3,5-dimethyl-phenyl)-9-methoxy-8-(2-methoxy-ethoxy)-3-methyl-5,6-dihydro-pyrrolo[2,1-a]isoquinoline-1-carboxylic acid ethyl ester,
19. 9-Methoxy-8-(2-methoxy-ethoxy)-3-methyl-2-(3,4,5-trimethoxy-phenyl)-5,6-dihydro-pyrrolo[2,1-a]isoquinoline-1-carboxylic acid ethyl ester,
20. 9-Methoxy-8-(2-methoxy-ethoxy)-3-methyl-2-naphthalen-1-yl-5,6-dihydro-pyrrolo[2,1-a]isoquinoline-1-carboxylic acid ethyl ester,
21. 9-Fluoro-2-(4-hydroxy-3,5-dimethyl-phenyl)-8-methoxy-3-methyl-5,6-dihydro-pyrrolo[2,1-a]isoquinoline-1-carboxylic acid ethyl ester,
22. 2-(4-Hydroxy-3,5-dimethyl-phenyl)-8-methoxy-3-methyl-9-nitro-5,6-dihydro-pyrrolo[2,1-a]isoquinoline-1-carboxylic acid ethyl ester,
23. 2-(4-Hydroxy-3,5-dimethyl-phenyl)-8-methoxy-3,9-dimethyl-5,6-dihydro-pyrrolo[2,1-a]isoquinoline-1-carboxylic acid ethyl ester,

24. 8,9-Dimethoxy-3-(2-methoxycarbonyl-ethyl)-6,6-dimethyl-2-quinolin-4-yl-5,6-dihydro-pyrrolo[2,1-a]isoquinoline-1-carboxylic acid ethyl ester,
25. 9-Amino-2-(4-hydroxy-3,5-dimethyl-phenyl)-8-methoxy-3-methyl-5,6-dihydro-pyrrolo[2,1-a]isoquinoline-1-carboxylic acid ethyl ester,
26. 1-[2-(4-Hydroxy-3,5-dimethyl-phenyl)-8,9-dimethoxy-3-methyl-5,6-dihydro-pyrrolo[2,1-a]isoquinolin-1-yl]-1-phenyl-methanone,
27. 4-(8,9-Dimethoxy-3-methyl-1-phenyl-5,6-dihydro-pyrrolo[2,1-a]isoquinolin-2-yl)-2,6-dimethyl-phenol,
28. 2-(4-Hydroxy-3,5-dimethyl-phenyl)-8,9-dimethoxy-3-methyl-5,6-dihydro-pyrrolo[2,1-a]isoquinoline-1-carboxylic acid cyclohexyl amide,
29. 1-[2-(4-Hydroxy-3,5-dimethyl-phenyl)-8,9-dimethoxy-3-methyl-5,6-dihydro-pyrrolo[2,1-a]isoquinolin-1-yl]-1-pyrrollidin-1-yl-methanone,
30. 2-(4-Hydroxy-3,5-dimethyl-phenyl)-8,9-dimethoxy-3-methyl-5,6-dihydro-pyrrolo[2,1-a]isoquinoline-1-carboxylic acid isopropylamide,
31. 2-(4-Hydroxy-3,5-dimethyl-phenyl)-8,9-dimethoxy-3-methyl-5,6-dihydro-pyrrolo[2,1-a]isoquinoline-1-carboxylic acid dimethylamide,

32. 2-(4-Hydroxy-3,5-dimethyl-phenyl)-8,9-dimethoxy-3-methyl-5,6-dihydro-pyrrolo[2,1-a]isoquinoline-1-carboxylic acid methylamide,
33. 2-(4-Hydroxy-3,5-dimethyl-phenyl)-8,9-dimethoxy-3-methyl-5,6-dihydro-pyrrolo[2,1-a]isoquinoline-1-carboxylic acid amide,
34. 2-(4-Hydroxy-3,5-dimethyl-phenyl)-8,9-dimethoxy-3-methyl-5,6-dihydro-pyrrolo[2,1-a]isoquinoline-1-carboxylic acid phenylamide,
35. 2-(4-Hydroxy-3,5-dimethyl-phenyl)-8,9-dimethoxy-3-methyl-5,6-dihydro-pyrrolo[2,1-a]isoquinoline-1-carboxylic acid ethylamide,
36. 2-(4-Hydroxy-3,5-dimethyl-phenyl)-8,9-dimethoxy-3-methyl-5,6-dihydro-pyrrolo[2,1-a]isoquinoline-1-carboxylic acid sec-butylamide, and
37. 2-(4-Hydroxy-3,5-dimethyl-phenyl)-8,9-dimethoxy-3-methyl-5,6-dihydro-pyrrolo[2,1-a]isoquinoline-1-carboxylic acid cyclopropylamide;

and the salts, stereoisomers, hydrates, and hydrates of the salts thereof

~~or a salt, stereoisomer, hydrate or hydrate of a salt thereof.~~

19-20. (Canceled)

21. (Currently amended) A pharmaceutical composition comprising one or more compounds according to claim 1, or a pharmaceutically acceptable salt, stereoisomer, hydrate or hydrate of a salt thereof, together with a customary pharmaceutical excipient and/or vehicle ~~excipients and/or vehicles.~~

22. (Currently amended) A method for treating hyperproliferative diseases of benign or malignant behaviour and/or disorders responsive to the induction of apoptosis, ~~such as e.g. cancer,~~ in a patient comprising administering to said patient a therapeutically effective amount of a compound according to claim 1, or a pharmaceutically acceptable salt, stereoisomer, hydrate or hydrate of a salt thereof.

23. (New) The method according to claim 22, wherein said hyperproliferative disease of benign or malignant behavior and/or disorder responsive to the induction of apoptosis is cancer.